


Number	K6168/02	Replaces	K6168/01
Issued	2005-01-15	Dated	1990-11-01

Product Certificate**Float valves of nominal size
½" up to and including 2"**

Based on pre-certification tests as well as periodic inspections by Kiwa, the products referred to in this certificate and marked with the Kiwa-mark as indicated under 'Marking', supplied by

Berluto Armaturen Gesellschaft mbH

may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K616/01 "Float valves of nominal size DN15 (½") up to and including DN50 (2)".



ing. B. Meekma
Director Certification and Inspection, Kiwa N.V.

This certificate is issued in accordance with the Kiwa-Regulations for Product Certification.

This certificate consists of 3 pages.

Publication of the certificate is allowed.

Kiwa N.V.
Certification and Inspection
Sir W. Churchill-laan 273
Postbus 70
2280 AB Rijswijk
The Netherlands

Telephone +31 70 41 44 400
Telefax +31 70 41 44 420
Internet www.kiwa.nl

Producer

Berluto Armaturen Gesellschaft mbH
Tempelsweg 16
47918 Tönisvorst
Germany

Telephone +49 2151-7038-0
Telefax +49 2151-700763
Internet www.berluto.de

Certificate

Page	2	Number	K6168/02	Replaces	K6168/01
		Issued	2005-01-15	Dated	1990-11-01

Float valves of nominal size 1/2" up to and including 2"

PRODUCT SPECIFICATION

The products in the table below belong to this certificate:

I Float valves, of the following types

A. nominal size	pressure stage
1/2"	I - 6
3/4"	I - 6
1"	I - 6
1 1/4"	I - 6
1 1/2"	I - 6
2"	I - 6

B. nominal size	pressure stage	material float
1/2"	I - 10	copper
1/2"	I - 10	corrosion resistant steel

Page	3	Number	K6168/02	Replaces	K6168/01
		Issued	2005-01-15	Dated	1990-11-01

Float valves of nominal size ½" up to and including 2"

APPLICATION AND USE

Float valves of nominal size ½" up to and including 2" are designed for the application in drinking water installations with a maximum working pressure of 1000 kPa and a maximum water temperature of 30°C.

MARKING

The products are marked with the wordmark "KIWA".

Place of the mark:

- "KIWA" on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body or on a detachable universal float valve.

Method of marking:

- indelible;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS:

1. Check at the time of delivery whether:
 - 1.1 the producer has delivery in accordance with the agreement;
 - 1.2 the mark and the marking method are correct;
 - 1.3 the products show no visible defects as a result of transport etc.
2. If you should reject a product on the basis of the above, please contact:
 - 2.1 Berluto Armaturen Gesellschaft mbH at Tönisvorst and, if necessary,
 - 2.2 Kiwa N.V.
3. Consult the producer's processing guidelines for the proper storage and transport methods.
4. Check whether this certificate is still valid by consulting www.kiwa.nl